

## Polishers

### L 602 VR-Set

Order no. 329.819



**The FLEX polisher with powerful drive, speed control and two grip variations as complete kit**

High durability thanks to perfect cooling. Grip and balance means perfect handling. The supplied bail handle offers an optional grip alternative. For the best polishing results on large surfaces, especially for sensitive surfaces. Complete in kit with velcro backing pad, sponge, microfibre polishing cloth, rubbing compound and high gloss polish.

Technical attributes	L 602 VR-Set
Max. polishing pad diameter	220 mm
Max. back-up pad diameter	160 mm
Speed without load	0-2400 rpm
Power input	1500 Watt
Power output	1000 Watt
Tool fixture	M 14
Weight	3,30 kg

Standard equipment	
1 grip cover	259.508
1 side handle	252.721
1 bail handle	287.709
1 Velcro pad 160 Ø	252.583
1 Velcro sponge 200 Ø x 30	304.778
1 microfibre polishing cloth	317.098
1 Rubbing compound 250 ml	342.467
1 Profi high gloss polish 250 ml	342.475

### Advantages at a glance

- FLEX five-fold VR electronics: with consistent speed control by tachometer generator, soft start with accelerator trigger switch, overload protection, temperature monitoring, and speed selection with optimised lower speed range
- Integrated air deflection: protects against dust
- Spindle lock: for easy disc changes
- Quality shut-off carbon brushes: if the carbon brushes wear down, the motor will be automatically switched off and thus protected from damage

## Accessories

### Velcro pad



Soft and pliable for uniform pressure distribution, universal applications for holding polishing accessories, with centring hole and centring tube Ø 22 mm, adapter M 14

**Dimensions QTY/PKG: Order no.**  
**in mm:**

125 Ø	1	258.705
160 Ø	1	252.583

## Polishers

### Velcro sponge, blue (coarse, hard)

---



Sponge with high tensile strength and coarse foam structure for polishing surfaces. Particularly suitable for extremely weathered or dull painted surfaces in combination with Flex special sanding polish (342.467). With centring hole, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

160 Ø x 30	1	304.751
200 Ø x 30	1	304.778

### Velcro sponge, yellow (coarse, hard)

---



Cambered, for polishing edges, extremely weathered or dull paint finishes and for paint treatment. With perforations, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

220 Ø x 20	1	256.908
------------	---	---------

## Polishers

### Velcro sponge, white (fine, soft)



Fine, soft and extremely highly tear-proof polishing sponge for treatment of lacquer of lacquer varnish in combination with the Flex Profi lacquer varnish (342.475). With centring hole, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

160 Ø x 30 1 304.786

200 Ø x 30 1 304.794



Cambered, for polishing edges and for treating lacquer and lacquer varnish in combination with the Flex Profi lacquer varnish. With centring hole, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

220 Ø x 20 1 256.909

### Velcro sponge, black (supersoft)



Extremely fine and soft for removing holograms and blooms from polishing on dark lacquers in combination with Flex special sanding polish (342.467). With centring hole, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

160 Ø x 30 1 304.824

200 Ø x 30 1 304.832

160 Ø x 75 1 304.808

200 Ø x 75 1 304.816

## Polishers

### Velcro wool pad



For polishing. With centring hole, inner diameter 22 mm.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

150 Ø	1	258.704
200 Ø	1	252.278

### Flexible backing pad



for M 14 backed lambswool

**Dimensions QTY/PKG: Order no.**  
**in mm:**

175 Ø	1	123.862
-------	---	---------

### Backed fleece



Fiber backing with M 14 threaded flange, for removing scratches in glass and acrylics

**Dimensions QTY/PKG: Order no.**  
**in mm:**

125 Ø	1	122.726
175 Ø	1	122.734



Fiber backing with M 14 threaded flange, for removing scratches in glass and acrylics

**Dimensions QTY/PKG: Order no.**  
**in mm:**

125 Ø	1	122.726
175 Ø	1	122.734

## Polishers

### Spare fleece

---



with fiber backing

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

<b>125 Ø</b>	<b>1</b>	<b>122.742</b>
<b>175 Ø</b>	<b>1</b>	<b>122.750</b>

### Molleton buffing wheel

---



**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

<b>125 Ø</b>	<b>1</b>	<b>123.749</b>
--------------	----------	----------------

### Microfibre polishing cloth

---



Without seam, washable for perfect surface finish and brilliant deep sheen.

**Dimensions QTY/PKG: Order no.**  
**in mm:**

---

<b>400 x 400</b>	<b>1</b>	<b>317.098</b>
------------------	----------	----------------

## Polishers

### Buffing wax

---

light/fine

**QTY/PKG: Order no.**

---

**1 123.811**

dark/medium

**QTY/PKG: Order no.**

---

**1 123.838**

red/coarse

**QTY/PKG: Order no.**

---

**1 123.846**

### Abrasive compound 250 ml

---



Innovative single-step abrasive polish for the latest generation of scratch-proof lacquers. New and old lacquers can be treated without leaving holograms and blooms. Using the TopWool pad or the blue sponge, grinding grooves can be removed without effort. When working on dark finishes, the super soft sponge is excellently suitable for removing holograms and blooms.

**QTY/PKG: Order no.**

---

**1 342.467**

## Polishers

### Profi high gloss polish 250 ml

---



High-quality gloss polish recipe based on organic and synthetic waxes, free of volatile silicones. Extremely high degree of sheen and finish protection. In one pass the lacquer can be permanently sealed and light holograms are removed. The white sponges are suited for the lacquer varnish.

**QTY/PKG:**    **Order no.**

---

**1**                    **342.475**