

Polishers

L 1202

Order no. 278.688



The FLEX marathon polishing machine with metal composite housing

Very high torque, low speed and solid 1600 Watt for toughest non-stop operation with large polishing discs during brushing, polishing, and buffering wood and stainless steel.

Technical attributes	L 1202
Max. polishing pad diameter	250 mm
Max. back-up pad diameter	175 mm
Speed without load	1750 rpm
Power input	1600 Watt
Power output	1100 Watt
Tool fixture	M 14
Weight	5,10 kg

Standard equipment	
1 side handle	193.356
1 hand guard	253.618
1 handle	253.510

Advantages at a glance

- High-powered motor: can handle extreme loads
- Reduction gears: for low speed and high torque
- FLEX Metal composite housing: endurance tested and robust

Accessories

Velcro pad



Soft and pliable for uniform pressure distribution, universal applications for holding polishing accessories, with centring hole and centring tube Ø 22 mm, adapter M 14

Dimensions QTY/PKG: Order no.
in mm:

160 Ø	1	252.583
-------	---	---------

Polishers

Velcro sponge, blue (coarse, hard)



Sponge with high tensile strength and coarse foam structure for polishing surfaces. Particularly suitable for extremely weathered or dull painted surfaces in combination with Flex special sanding polish (342.467). With centring hole, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

160 Ø x 30	1	304.751
200 Ø x 30	1	304.778

Velcro sponge, yellow (coarse, hard)



Cambered, for polishing edges, extremely weathered or dull paint finishes and for paint treatment. With perforations, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

220 Ø x 20	1	256.908
------------	---	---------

Polishers

Velcro sponge, white (fine, soft)



Fine, soft and extremely highly tear-proof polishing sponge for treatment of lacquer of lacquer varnish in combination with the Flex Profi lacquer varnish (342.475). With centring hole, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

160 Ø x 30 1 304.786

200 Ø x 30 1 304.794



Cambered, for polishing edges and for treating lacquer and lacquer varnish in combination with the Flex Profi lacquer varnish. With centring hole, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

220 Ø x 20 1 256.909

Velcro sponge, black (supersoft)



Extremely fine and soft for removing holograms and blooms from polishing on dark lacquers in combination with Flex special sanding polish (342.467). With centring hole, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

160 Ø x 30 1 304.824

200 Ø x 30 1 304.832

160 Ø x 75 1 304.808

200 Ø x 75 1 304.816

Polishers

Velcro wool pad



For polishing. With centring hole, inner diameter 22 mm.

Dimensions QTY/PKG: Order no.
in mm:

150 Ø	1	258.704
200 Ø	1	252.278

Flexible backing pad



for M 14 backed lambswool

Dimensions QTY/PKG: Order no.
in mm:

175 Ø	1	123.862
-------	---	---------

Backed fleece



Fiber backing with M 14 threaded flange, for removing scratches in glass and acrylics

Dimensions QTY/PKG: Order no.
in mm:

125 Ø	1	122.726
175 Ø	1	122.734



Fiber backing with M 14 threaded flange, for removing scratches in glass and acrylics

Dimensions QTY/PKG: Order no.
in mm:

125 Ø	1	122.726
175 Ø	1	122.734

Polishers

Spare fleece



with fiber backing

Dimensions QTY/PKG: Order no.
in mm:

Dimensions in mm	QTY/PKG	Order no.
125 Ø	1	122.742
175 Ø	1	122.750

Molleton buffing wheel



Dimensions QTY/PKG: Order no.
in mm:

Dimensions in mm	QTY/PKG	Order no.
125 Ø	1	123.749

Mixing head, M 14

For smaller quantities. Used with an extension piece.



Dimensions Order no.
in mm:

Dimensions in mm	Order no.
70 Ø	124.753

Muslin buffing wheel, coarse



For general polishing. Vertical running, for preliminary polishing, polishing, and repolishing using appropriate buffer wax. Order no. 123.765: 2 pieces needed.

Dimensions QTY/PKG: Order no.
in mm:

Dimensions in mm	QTY/PKG	Order no.
250 Ø x 20	2	123.765
150 Ø x 40	1	250.159

Polishers

Flannel buffing wheel, medium



For high-gloss polishing. Vertical running, for preliminary polishing, polishing, and repolishing using appropriate buffer wax. Order no. 123.773: 2 pieces needed.

Dimensions QTY/PKG: Order no.
in mm:

150 Ø x 40 1 250.158

250 Ø x 20 2 123.773



For high-gloss polishing. Vertical running, for preliminary polishing, polishing, and repolishing using appropriate buffer wax. Order no. 123.773: 2 pieces needed.

Dimensions QTY/PKG: Order no.
in mm:

150 Ø x 40 1 250.158

250 Ø x 20 2 123.773

Buffing wheel mount, M 14



Dimensions QTY/PKG: Order no.
in mm:

60 1 123.803

Extension piece, M 14 for mixing paddle + mixing head



Extension piece, M14 (can be extended as required)

Dimensions QTY/PKG: Order no.
in mm:

400 1 124.818

Polishers

Buffing wax

light/fine

QTY/PKG: Order no.

1 123.811

dark/medium

QTY/PKG: Order no.

1 123.838

red/coarse

QTY/PKG: Order no.

1 123.846

Microfibre polishing cloth



Without seam, washable for perfect surface finish and brilliant deep sheen.

Dimensions QTY/PKG: Order no.

in mm:

400 x 400 1 317.098

Mixing paddle, M 14



For larger quantities. Used with an extension piece.

Dimensions QTY/PKG: Order no.

in mm:

120 Ø 1 124.761