

Saws

SKE 2902 VV

Order no. 331.678



The 1200-Watt reciprocating saw with orbital cutting action

The premium model of the FLEX universal reciprocating saws, with all the extras e.g. switchable orbital stroke, keyless support shoe adjustment and Quik-Change® blade holder for fast blade changing.

Technical attributes	SKE 2902 VV
Orbit rate, without load	0-2600 rpm
Orbit	28 mm
Power input	1200 Watt
Power output	670 Watt
Weight	4,00 kg

Standard equipment	
1 assortment of saw blades	198.757
1 plastic carry case	1 piece

Advantages at a glance

- 1200 Watt high-power motor: enduring, reliable power pack
- Orbital stroke: switch-activated, especially for fast sawing through wood
- FLEX two-fold VV electronics: with consistent stroke control, soft start with accelerator trigger switch
- Softgrip handle: eliminates most of the vibration
- Quik-Change®: Exchange saw blades quickly without tools with the stainless steel saw blade tool holder
- Saw blade positioning: 0° and 180°, even for over-head sawing
- Saw support: tilting and depth-adjustable to 4 levels without tools
- Heavy-duty carrying case

Saws

Accessories

Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743




All reciprocating saw blades with common saw blade mount. Long metal strip 3 - 10 mm, bi-metal

Saws


Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

10	280	5	201.928
----	-----	---	---------

 All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal


Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

14	200	5	217.190
----	-----	---	---------

 All reciprocating saw blades with common saw blade mount. Hard metals, 1.50 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

18	200	5	217.751
----	-----	---	---------

 All reciprocating saw blades with common saw blade mount. Trapezoidal sheet metals

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

32	200	5	222.291
----	-----	---	---------

Saws

Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751



Wood with nails, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts)

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936
6	150	5	200.786



Coarse rapid cuts in wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054
3	300	5	250.055



Coarse rapid cuts in green-wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056

Saws



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061
3	300	1	206.210



Gypsum boards, porous concrete

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	206.202

Sabre blade assortment for plastic/wood/metal



consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757