

## Saws

### SKL 2903 VV

**Order no. 300.713**



#### The FLEX Tiger Claw with 3-D function joint can cut round corners

The doubly rotatable reciprocating saw stands out because of its flexibility: the rear gear housing adjusts as much as 180° with 13 positive stop locations. the front gear housing scrolls 360° with 12 positive stop locations; both even during sawing. Ideal in tight spaces: disposing of old oil tanks, in sanitation, heating and ventilation installation, in automotive shops, and so forth.

Technical attributes	SKL 2903 VV
Orbit rate, without load	0-2900 rpm
Orbit	29 mm
Power input	1200 Watt
Power output	650 Watt
Weight	4,00 kg

Standard equipment	
1 assortment of saw blades	198.757
1 saw blade adapter	302.864
1 plastic carry case	1 piece

#### Advantages at a glance

- FLEX two-fold VV electronics: with consistent stroke control, soft start with accelerator trigger switch
- Two joints facilitate almost unlimited positioning possibilities
- Quik-Change®: Exchange saw blades quickly without tools with the stainless steel saw blade tool holder
- Saw support: adjustable angle, additional four-fold depth adjustment

## Saws

### Accessories

#### Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743




All reciprocating saw blades with common saw blade mount. Long metal strip 3 - 10 mm, bi-metal

## Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

---

10	280	5	201.928
----	-----	---	---------




All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

---

14	200	5	217.190
----	-----	---	---------




All reciprocating saw blades with common saw blade mount. Hard metals, 1.50 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

---

18	200	5	217.751
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Trapezoidal sheet metals


Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

---

32	200	5	222.291
----	-----	---	---------

## Saws

### Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751



Wood with nails, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts)

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936
6	150	5	200.786



Coarse rapid cuts in wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054
3	300	5	250.055



Coarse rapid cuts in green-wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056

## Saws



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061
3	300	1	206.210



Gypsum boards, porous concrete

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	206.202

### Sabre blade assortment for plastic/wood/metal



consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757

### Plastic carrying case



for SKL 2903 VV

QTY/PKG:	Order no.
1	905.922