

## Saws

### SR 602 VV

**Order no. 278.866**

#### Advantages at a glance



#### The FLEX sabre pipe saw with pipe clamp

The powerful 1300 Watt orbital stroke saw for plumbers is fitted with a generously-dimensioned, rectangular blade shaft designed to withstand extreme loads. It can easily saw pipes up to 4" at an exact right angle. The chain clamp fixture (accessory order no. 251.259) means that even steel pipes up to 6" and plastic pipes up to 8" can be cut. The infinitely variable electronic speed pre-selection combined with the acceleration trigger enables a soft sawing with all materials. The additional adjustable speed facilitates the adjustment and retention of a constant stroke.

Technical attributes	SR 602 VV
Orbit rate, without load	0-2400 rpm
Orbit	27 mm
Power input	1300 Watt
Power output	850 Watt
Weight	4,40 kg

#### Standard equipment

1 side handle	198.633
1 hexagon socket screw key, special tool 4	211.494
1 standard cutting support	254.926
1 assortment of saw blades	1 set
1 pipe clamp for pipes up to 2"	259.983
1 plastic carry case	329.908

- FLEX four-fold VV electronic control: with consistent speed control, soft start with accelerator trigger switch, overload protection and speed pre-selection with adjusting wheel
- Orbital stroke: selective
- Quality shut-off carbon brushes: if the carbon brushes wear down, the motor will be automatically switched off and thus protected from damage

## Saws

### Accessories

#### Pipe saw blades



For pipe reciprocating saw with pipe bracket or chain tensioning device. with special saw blade mount. Extra strong for metal pipes. Pipe Ø up to 2", wall thickness from 3.0 mm

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
8	150	5	252.329



For pipe reciprocating saw with pipe bracket or chain tensioning device. with special saw blade mount. Extra strong for metal pipes. Pipe Ø up to 4", wall thickness from 3.0 mm

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
8	210	5	251.620



For pipe reciprocating saw with pipe bracket or chain tensioning device. with special saw blade mount. Extra strong for metal pipes. Pipe Ø up to 6", wall thickness from 3.0 mm (only with chain clamp fixture)

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
8	275	5	252.167



For pipe reciprocating saw with pipe bracket or chain tensioning device. with special saw blade mount. Extra strong for metal pipes. Plastic pipe up to 125 mm Ø

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	230	5	252.136

## Saws



For pipe reciprocating saw with pipe bracket or chain tensioning device. with special saw blade mount. Extra strong for metal pipes. Plastic pipe up to 200 mm Ø

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	310	5	252.137

### Saw blades for free-hand cutting



With special saw blade mount. Pallets - wood/nails

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	200	5	252.103



With special saw blade mount. Palettes - wood/nails with variable toothing, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10/14	210	5	256.518



With special saw blade mount. Metal, wall thickness from 1.8 mm

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	210	5	248.894

### Chain clamp fixture



Fits for steel pipes from 13 mm to 150 mm and plastic pipes up to 200 mm.

QTY/PKG:	Order no.
1	251.259

## Saws

### Plastic multi-carrying case

---



Perfect fitting, impact resistant carrying case, universally adaptable for many different FLEX-Maschinen

**QTY/PKG:**    **Order no.**

---

**1**                    **329.908**