

Saws

SK 602 VV

Order no. 282.308



The FLEX sabre saw with pipe cutting support

The 1300 Watt orbital stroke saw with reinforced blade shaft guidance and adjustable saw stop. You can tackle any metal work with this machine. The pipe cutting support supplied with the saw holds pipes up to 1 1/2" and facilitates precision pipe cutting in any position.

Technical attributes	SK 602 VV
Orbit rate, without load	0-2400 rpm
Orbit	27 mm
Power input	1300 Watt
Power output	850 Watt
Weight	3,90 kg

Standard equipment	
1 side handle	198.633
1 hexagon socket screw key, special tool 4	211.494
1 standard cutting support	210.935
1 assortment of saw blades	1 set
1 spare clamp for sabre saw blade	205.788
1 pipe cutting support	217.689
1 plastic carry case	329.908

Advantages at a glance

- FLEX four-fold VV electronic control: with consistent speed control, soft start with accelerator trigger switch, overload protection and speed pre-selection with adjusting wheel
- Orbital stroke: selective
- Quality shut-off carbon brushes: if the carbon brushes wear down, the motor will be automatically switched off and thus protected from damage
- Standard cutting support
- Pipe cutting support
- Acceleration trigger: sensitive sawing at the first cut

Saws

Accessories

Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743




All reciprocating saw blades with common saw blade mount. Long metal strip 3 - 10 mm, bi-metal

Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------


10	280	5	201.928
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------


14	200	5	217.190
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Hard metals, 1.50 mm and thicker, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

18	200	5	217.751
----	-----	---	---------




All reciprocating saw blades with common saw blade mount. Trapezoidal sheet metals

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

32	200	5	222.291
----	-----	---	---------

Saws

Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751



Wood with nails, bi-metal

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts)

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936
6	150	5	200.786



Coarse rapid cuts in wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054
3	300	5	250.055



Coarse rapid cuts in green-wood

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056

Saws



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061
3	300	1	206.210



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061
3	300	1	206.210



Gypsum boards, porous concrete

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	206.202

Plastic multi-carrying case



Perfect fitting, impact resistant carrying case, universally adaptable for many different FLEX-Maschinen

QTY/PKG:	Order no.
1	329.908

Saws

Sabre blade assortment for plastic/wood/metal



consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757